



ICD-9-CM (	Iode	ICD-10-CM Code(s)
786.50	Chest pain, unspecified	
ICD-10-CM Codes	R07.9 Chest pain, unspecified  ** There are more specific code choice selections available in ICD-10-CM. These include:  R07.1 Chest pain on breathing  R07.2 Precordial pain  R07.81 Pleurodynia  R07.89 Other chest pain	
789.09	Abdominal pain, other spe	cified site
ICD-10-CM Codes	R10.10 Upper abdominal pain, unspecified R10.2 Pelvic and perineal pain R10.30 Lower abdominal pain, unspecified	
959.01	Head injury, unspecified	
The appropr	iate 7th character is to be ac	ded to each code from category <b>\$09</b>
Α	initial encounter	
D	subsequent encounter	
S	sequela	
ICD-10-CM Codes	**These codes require a 7th character extender.  \$09.90X- Unspecified injury of head  **There are more specific code choice selections available in ICD-10-CM. These include:  \$09.8XX- Other specified injuries of head  \$06.9X0- Unspecified intracranial injury without loss of consciousness of 30 minutes or less  \$06.9X1- Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes  \$06.9X2- Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes  \$06.9X3- Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes  \$06.9X4- Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours  \$06.9X5- Unspecified intracranial injury with loss of consciousness of greater than 24 hours with return to pre-existing conscious level  \$06.9X6- Unspecified intracranial injury with loss of consciousness of greater than 24 hours without return to pre-existing conscious level with patient surviving  \$06.9X7- Unspecified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness of any duration with death due to other cause prior to regaining consciousness  \$06.9X8- Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness	
784.0	Headache	R51 Headache
780.2	Syncope and collapse	R55 Syncope and collapse
883	Open wound of finger without mention of complication	
The appropr	opropriate 7th character is to be added to each code from category, <b>S61</b>	
Α	initial encounter	
D	subsequent encounter	

# ICD-10-CM Code(s)

# ICD-10-CM Codes (cont.)

- **S61.209-** Unspecified open wound of unspecified finger without damage to nail
- \*\* There are more specific code choice selections available in ICD-10-CM. These include:
- **S61.001-** Unspecified open wound of right thumb without damage
- **S61.002-** Unspecified open wound of left thumb without damage
- **S61.009-** Unspecified open wound of unspecified thumb without
- **S61.011-** Laceration without foreign body of right thumb without damage to nail
- **S61.012-** Laceration without foreign body of left thumb without damage to nail
- **S61.019-** Laceration without foreign body of unspecified thumb without damage to nail
- **S61.021-** Laceration with foreign body of right thumb without
- **S61.022-** Laceration with foreign body of left thumb without damage to nail
- **S61.029-** Laceration with foreign body of unspecified thumb without
- **S61.031-** Puncture wound without foreign body of right thumb without damage to nail
- **S61.032-** Puncture wound without foreign body of left thumb without damage to nail
- **S61.039-** Puncture wound without foreign body of unspecified thumb without damage to nail
- **S61.041-** Puncture wound with foreign body of right thumb without damage to nail
- **S61.042-** Puncture wound with foreign body of left thumb without damage to nail
- **S61.049-** Puncture wound with foreign body of unspecified thumb without damage to nail
- **S61.051-** Open bite of right thumb without damage to nail
- S61.052- Open bite of left thumb without damage to nail
- **S61.059-** Open bite of unspecified thumb without damage to nail
- **S61.101-** Unspecified open wound of right thumb with damage to nail
- **S61.102-** Unspecified open wound of left thumb with damage to nail
- **S61.109-** Unspecified open wound of unspecified thumb with
- **S61.111-** Laceration without foreign body of right thumb with damage to nail
- **S61.112-** Laceration without foreign body of left thumb with damage
- **S61.119-** Laceration without foreign body of unspecified thumb with damage to nail
- **S61.121-** Laceration with foreign body of right thumb with damage
- **S61.122-** Laceration with foreign body of left thumb with damage to nail
- **S61.129-** Laceration with foreign body of unspecified thumb with damage to nail
- **S61.131-** Puncture wound without foreign body of right thumb with damage to nail
- **S61.132-** Puncture wound without foreign body of left thumb with damage to nail
- \*\* These codes require a 7th character extender.
- **S61.139-** Puncture wound without foreign body of unspecified thumb with damage to nail
- S61.141- Puncture wound with foreign body of right thumb with damage to nail





ICD-9-CM (	Code ICD-10-CM Code(s)
<b>883</b> (cont.)	Open wound of finger without mention of complication
ICD-10-CM Codes	<b>S61.142-</b> Puncture wound with foreign body of left thumb with damage to nail
(cont.)	<b>S61.149</b> - Puncture wound with foreign body of unspecified thumb with damage to nail
	<b>S61.151-</b> Open bite of right thumb with damage to nail
	<b>S61.152</b> - Open bite of left thumb with damage to nail
	S61.159- Open bite of unspecified thumb with damage to nail S61.200- Unspecified open wound of right index finger without damage to nail
	S61.201- Unspecified open wound of left index finger without damage to nail
	<b>S61.202-</b> Unspecified open wound of right middle finger without damage to nail
	<b>S61.203-</b> Unspecified open wound of left middle finger without damage to nail
	<b>S61.204-</b> Unspecified open wound of right ring finger without damage to nail
	S61.205- Unspecified open wound of left ring finger without damage to nail
	<b>S61.206-</b> Unspecified open wound of right little finger without damage to nail
	<b>S61.207-</b> Unspecified open wound of left little finger without damage to nail
	<b>S61.208-</b> Unspecified open wound of other finger without damage to nail
	<b>S61.209</b> - Unspecified open wound of unspecified finger without damage to nail
	<b>S61.210-</b> Laceration without foreign body of right index finger without damage to nail
	<b>S61.211-</b> Laceration without foreign body of left index finger without damage to nail
	<b>S61.212-</b> Laceration without foreign body of right middle finger without damage to nail
	S61.213- Laceration without foreign body of left middle finger without damage to nail
	S61.214- Laceration without foreign body of right ring finger without damage to nail
	S61.215- Laceration without foreign body of left ring finger without damage to nail
	<b>S61.216-</b> Laceration without foreign body of right little finger without damage to nail
	<b>S61.217-</b> Laceration without foreign body of left little finger without damage to nail
	<b>S61.218-</b> Laceration without foreign body of other finger without damage to nail
	<b>S61.219-</b> Laceration without foreign body of unspecified finger without damage to nail
	<b>S61.220-</b> Laceration with foreign body of right index finger without damage to nail
	<b>S61.221-</b> Laceration with foreign body of left index finger without damage to nail
	<b>S61.222-</b> Laceration with foreign body of right middle finger without damage to nail
	<b>S61.223-</b> Laceration with foreign body of left middle finger without damage to nail
	S61.224- Laceration with foreign body of right ring finger without damage to nail
	<b>S61.225-</b> Laceration with foreign body of left ring finger without

damage to nail

S61.226- Laceration with foreign body of right little finger without

# ICD-10-CM Code(s)

# ICD-10-CM Codes (cont.)

- **S61.227-** Laceration with foreign body of left little finger without damage to nail
- **S61.228-** Laceration with foreign body of other finger without damage to nail
- **S61.229-** Laceration with foreign body of unspecified finger without damage to nail
- **S61.230-** Puncture wound without foreign body of right index finger without damage to nail
- **S61.231-** Puncture wound without foreign body of left index finger without damage to nail
- **S61.232-** Puncture wound without foreign body of right middle finger without damage to nail
- S61.233- Puncture wound without foreign body of left middle finger without damage to nail
- S61.234- Puncture wound without foreign body of right ring finger without damage to nail
- **S61.235-** Puncture wound without foreign body of left ring finger without damage to nail
- **\$61.236-** Puncture wound without foreign body of right little finger without damage to nail
- S61.237- Puncture wound without foreign body of left little finger without damage to nail
- **S61.238-** Puncture wound without foreign body of other finger without damage to nail
- **S61.239-** Puncture wound without foreign body of unspecified finger without damage to nail
- **S61.240-** Puncture wound with foreign body of right index finger without damage to nail
- S61.241- Puncture wound with foreign body of left index finger without damage to nail
- **S61.242-** Puncture wound with foreign body of right middle finger without damage to nail
- S61.243- Puncture wound with foreign body of left middle finger without damage to nail
- **S61.244-** Puncture wound with foreign body of right ring finger without damage to nail
- S61.245- Puncture wound with foreign body of left ring finger without damage to nail
- S61.246- Puncture wound with foreign body of right little finger without damage to nail
- S61.247- Puncture wound with foreign body of left little finger without damage to nail
- **S61.248-** Puncture wound with foreign body of other finger without damage to nail
- **S61.249-** Puncture wound with foreign body of unspecified finger without damage to nail
- **S61.250-** Open bite of right index finger without damage to nail
- **S61.251-** Open bite of left index finger without damage to nail
- **S61.252-** Open bite of right middle finger without damage to nail
- **S61.253-** Open bite of left middle finger without damage to nail
- **S61.254-** Open bite of right ring finger without damage to nail
- **S61.255-** Open bite of left ring finger without damage to nail
- **S61.256-** Open bite of right little finger without damage to nail
- **S61.257-** Open bite of left little finger without damage to nail
- **S61.258-** Open bite of other finger without damage to nail
- **S61.259-** Open bite of unspecified finger without damage to nail
- **S61.300-** Unspecified open wound of right index finger with
- **S61.301-** Unspecified open wound of left index finger with damage
- **S61.302-** Unspecified open wound of right middle finger with





ICD-10-CM Code(s)

ICD-9-CM C	ICD-10-CM Code(s)	
<b>883</b> (cont.)	Open wound of finger without mention of complication (cont.)	
ICD-10-CM Codes (cont.)	<b>S61.303-</b> Unspecified open wound of left middle finger with damage to nail <b>S61.304-</b> Unspecified open wound of right ring finger with damage to nail	
	<b>S61.305-</b> Unspecified open wound of left ring finger with damage to nail	
	<b>S61.306-</b> Unspecified open wound of right little finger with damage to nail	
	<b>S61.307-</b> Unspecified open wound of left little finger with damage to nail	
	<b>S61.308</b> - Unspecified open wound of other finger with damage to nail <b>S61.309</b> - Unspecified open wound of unspecified finger with	
	damage to nail  S61.310- Laceration without foreign body of right index finger with damage to nail	
	<b>S61.311-</b> Laceration without foreign body of left index finger with damage to nail	
	<b>S61.312-</b> Laceration without foreign body of right middle finger with damage to nail	
	<b>S61.313-</b> Laceration without foreign body of left middle finger with damage to nail	
	<b>S61.314-</b> Laceration without foreign body of right ring finger with damage to nail	
	S61.315- Laceration without foreign body of left ring finger with damage to nail	
	S61.316- Laceration without foreign body of right little finger with damage to nail	
	S61.317- Laceration without foreign body of left little finger with damage to nail	
	<ul><li>S61.318- Laceration without foreign body of other finger with damage to nail</li><li>S61.319- Laceration without foreign body of unspecified finger with</li></ul>	
	damage to nail <b>S61.320-</b> Laceration with foreign body of right index finger with	
	damage to nail <b>S61.321-</b> Laceration with foreign body of left index finger with	
	damage to nail <b>S61.322-</b> Laceration with foreign body of right middle finger with	
	damage to nail <b>S61.323-</b> Laceration with foreign body of left middle finger with	
	damage to nail <b>S61.324-</b> Laceration with foreign body of right ring finger with	
	damage to nail <b>S61.325-</b> Laceration with foreign body of left ring finger with	
	damage to nail <b>S61.326-</b> Laceration with foreign body of right little finger with	
	damage to nail <b>S61.327-</b> Laceration with foreign body of left little finger with	
	damage to nail <b>S61.328-</b> Laceration with foreign body of other finger with damage to nail	
	<b>S61.329-</b> Laceration with foreign body of unspecified finger with damage to nail	
	<b>S61.330-</b> Puncture wound without foreign body of right index finger with damage to nail	
	<b>S61.331-</b> Puncture wound without foreign body of left index finger with damage to nail	
	<b>S61.332-</b> Puncture wound without foreign body of right middle finger with damage to nail	
	<b>S61.333-</b> Puncture wound without foreign body of left middle finger with damage to nail	
	<b>S61.334-</b> Puncture wound without foreign body of right ring finger	

with damage to nail

ICD-9-CM Code	ICD-10-CM Code(s)

ICD-9-CM C	ode	ICD-10-CM Code(s)
ICD-10-CM Codes	<b>S61.335-</b> Puncture wound with damage to r	without foreign body of left ring finger
(cont.)	9	without foreign body of right little finger
	<b>S61.337-</b> Puncture wound with damage to r	without foreign body of left little finger nail
	<b>S61.338-</b> Puncture wound damage to nail	without foreign body of other finger with
	<b>S61.339-</b> Puncture wound finger with dama	without foreign body of unspecified ge to nail
	<b>S61.340-</b> Puncture wound with damage to	with foreign body of right index finger nail
	<b>S61.341-</b> Puncture wound damage to nail	with foreign body of left index finger with
	<b>S61.342-</b> Puncture wound with damage to r	with foreign body of right middle finger nail
	<b>S61.343-</b> Puncture wound with damage to r	with foreign body of left middle finger nail
	<b>S61.344-</b> Puncture wound damage to nail	with foreign body of right ring finger with
	<b>S61.345-</b> Puncture wound damage to nail	with foreign body of left ring finger with
	<b>S61.346-</b> Puncture wound with damage to	with foreign body of right little finger nail
	<b>S61.347-</b> Puncture wound damage to nail	with foreign body of left little finger with
	<b>S61.348-</b> Puncture wound damage to nail	with foreign body of other finger with
	<b>\$61.349-</b> Puncture wound with damage to i	with foreign body of unspecified finger nail
		t index finger with damage to nail index finger with damage to nail
	S61.352- Open bite of righ	t middle finger with damage to nail
	<b>S61.353-</b> Open bite of left	middle finger with damage to nail
	,	t ring finger with damage to nail
		ring finger with damage to nail
		t little finger with damage to nail little finger with damage to nail
		er finger with damage to nail
	•	pecified finger with damage to nail
845.00	Sprains and strains of ankle	, unspecified site
The appropria	te 7th character is to be added:	to each code from category <b>S93 and S96</b>
appropria		

	<b>S61.359-</b> Open bite of unspecified finger with damage to nail	
845.00	Sprains and strains of ankle, unspecified site	
The appropria	ste 7th character is to be added to each code from category <b>S93 and S96</b>	
Α	initial encounter	
D	subsequent encounter	
S	sequela	
ICD-10-CM Codes	** These codes require a 7th character extender.  \$93.409- Sprain of unspecified ligament of unspecified ankle  ** There are more specific code choice selections available in ICD-10- CM. These include:  \$93.401- Sprain of unspecified ligament of right ankle  \$93.402- Sprain of unspecified ligament of left ankle  \$93.411- Sprain of calcaneofibular ligament of right ankle  \$93.412- Sprain of calcaneofibular ligament of left ankle  \$93.419- Sprain of calcaneofibular ligament of unspecified ankle  \$93.421- Sprain of deltoid ligament of right ankle  \$93.422- Sprain of deltoid ligament of left ankle	

**\$93.429-** Sprain of deltoid ligament of unspecified ankle





ICD-9-CM Code		ICD-10-CM Code(s)
845.00	Continued	

845.00	Continued	
B45.00 ICD-10-CM Codes (cont.)	<ul> <li>S93.431- Sprain of tibiofibular ligament of right ankle</li> <li>S93.432- Sprain of tibiofibular ligament of left ankle</li> <li>S93.439- Sprain of tibiofibular ligament of unspecified ankle</li> <li>S93.491- Sprain of other ligament of right ankle</li> <li>S93.492- Sprain of other ligament of left ankle</li> <li>S93.499- Sprain of other ligament of unspecified ankle</li> <li>S96.011- Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot</li> <li>S96.012- Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot</li> <li>S96.019- Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot</li> <li>S96.111- Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot</li> <li>S96.112- Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot</li> <li>S96.119- Strain of muscle and tendon of long extensor muscle of toe at ankle and foot, unspecified foot</li> <li>S96.211- Strain of intrinsic muscle and tendon at ankle and foot level, right foot</li> <li>S96.212- Strain of intrinsic muscle and tendon at ankle and foot level, unspecified foot</li> <li>S96.213- Strain of intrinsic muscle and tendon at ankle and foot level, unspecified foot</li> <li>S96.219- Strain of other specified muscles and tendons at ankle and foot level, right foot</li> <li>S96.811- Strain of other specified muscles and tendons at ankle and foot level, left foot</li> <li>S96.819- Strain of other specified muscles and tendons at ankle and foot level, unspecified foot</li> <li>S96.911- Strain of unspecified muscles and tendon at ankle and foot level, right foot</li> <li>S96.912- Strain of unspecified muscle and tendon at ankle and foot level, right foot</li> <li>S96.912- Strain of unspecified muscle and tendon at ankle and foot level, left foot</li> </ul>	
	<b>S96.919-</b> Strain of unspecified muscle and tendon at ankle and foot level, unspecified foot	
486	Pneumonia, organism unspecified	
ICD-10-CM Codes	J18.9 Pneumonia, unspecified organism J18.8 Other pneumonia, unspecified organism ** code first associated influenza, if applicable (J09.X1, J10.0-, J11.0-)	
780.60	Fever, unspecified	
ICD-10-CM Codes	R50.9 Fever, unspecified  ** There are more specific code choice selections available in ICD-10-CM. These include:  R50.2 Drug induced fever  **Use additional code for adverse effect, if applicable to identify drug (T36-T50 with fifth or sixth character 5)  R50.81 Fever presenting with conditions classified elsewhere  R50.82 Postprocedural fever  R50.83 Postvaccination fever  R50.84 Febrile nonhemolytic transfusion reaction	

ICD-9-CM C	iode ICD-10-CM Code(s)	
724.5	Backache, unspecified	
ICD-10-CM Codes	<ul> <li>M54.9 Dorsalgia, unspecified</li> <li>** There are more specific code choice selections available for back pain. These include:</li> <li>M54.89 Other dorsalgia</li> <li>M54.6 Pain in thoracic spine</li> <li>M54.5 Low back pain</li> <li>M53.3 Sacrococcygeal disorders, not elsewhere classified</li> </ul>	
305.00	Alcohol abuse, unspecified	
ICD-10-CM Codes	F10.10 Alcohol abuse, uncomplicated  ** Use additional code for blood alcohol level, if applicable (Y90-)  ** There are more specific code choice selections available in ICD-10-CM. These include:  F10.120 Alcohol abuse with intoxication, uncomplicated  F10.121 Alcohol abuse with intoxication delirium  F10.129 Alcohol abuse with intoxication, unspecified  F10.14 Alcohol abuse with alcohol-induced mood disorder  F10.150 Alcohol abuse with alcohol-induced psychotic disorder with delusions  F10.151 Alcohol abuse with alcohol-induced psychotic disorder with hallucinations  F10.519 Alcohol abuse with alcohol-induced psychotic disorder, unspecified  F10.159 Alcohol abuse with alcohol-induced anxiety disorder  F10.181 Alcohol abuse with alcohol-induced sexual dysfunction  F10.182 Alcohol abuse with alcohol-induced sleep disorder  F10.188 Alcohol abuse with other alcohol-induced disorder	
729.5	Pain in limb	
ICD-10-CM Codes	M79.609 Pain in unspecified limb  ** There are more specific code choice selections available in ICD-10-CM. These include:  M79.601 Pain in right arm  M79.602 Pain in left arm  M79.603 Pain in arm, unspecified  M79.604 Pain in right leg  M79.605 Pain in left leg  M79.606 Pain in left leg  M79.602 Pain in left upper arm  M79.621 Pain in right upper arm  M79.622 Pain in unspecified upper arm  M79.633 Pain in unspecified upper arm  M79.630 Pain in left forearm  M79.631 Pain in right forearm  M79.632 Pain in unspecified forearm  M79.633 Pain in unspecified forearm  M79.641 Pain in right hand  M79.642 Pain in left hand  M79.645 Pain in unspecified hand  M79.645 Pain in left finger(s)  M79.646 Pain in unspecified finger(s)  M79.651 Pain in right thigh  M79.652 Pain in left thigh	





ICD-9-CM (	Code	ICD-10-CM Code(s)
729.5	Pain in limb —Continued	
ICD-10-CM Codes (cont.)	M79.662 Pain in left lower leg M79.669 Pain in unspecified lower leg M79.671 Pain in right foot M79.672 Pain in left foot M79.673 Pain in unspecified foot M79.674 Pain in right toe(s) M79.675 Pain in left toe(s) M79.676 Pain in unspecified toes(s)	
787.03	Vomiting alone	<b>R11.11</b> Vomiting without nausea
465.9	Acute upper respiratory in	nfections of unspecified site
ICD-10-CM Codes	J06.9 Acute upper respiratory infection, unspecified J39.8 Other specified diseases of upper respiratory tract	
724.2	Lumbago	M54.5 Low back pain
789.00	Abdominal pain, unspecif	ned site
ICD-10-CM Codes	R10.9 Unspecified abdominal pain  **There are more specific code choice selections available in ICD-10-CM. These include:  R10.0 Acute abdomen  R10.10 Upper abdominal pain, unspecified  R10.11 Right upper quadrant pain  R10.12 Left upper quadrant pain  R10.13 Epigastric pain  R10.2 Pelvic pain  R10.30 Lower abdominal pain, unspecified  R10.31 Right lower quadrant pain  R10.32 Left lower quadrant pain  R10.33 Periumbilical pain  R10.84 Generalized abdominal pain	
780.99	Other general symptoms	
ICD-10-CM Codes	R68.89 Other general symptoms and signs R45.84 Anhedonia	
462	Acute pharyngitis	
ICD-10-CM Codes	J02.8 Acute pharyngitis due to other specified organisms  ** Use additional code (B95-B97) to identify infectious agent  J02.0 Streptococcal pharyngitis  J02.9 Acute pharyngitis, unspecified	
786.59	Other chest pain	
ICD-10-CM Codes	R07.82 Intercostal pain R07.89 Chest pain, othe	r

ICD-9-CM Co	ode	ICD-10-CM Code(s)
599.0	Urinary tract infection, site not specified	
ICD-10-CM Codes	N39.0 Urinary tract infection, site not specified  ** Use additional code (B95-B97) to identify infectious agent  ** There are more specific code choice selections available in ICD-10-CM. These include:  N30.00 Acute cystitis without hematuria  N30.11 Interstitial cystitis (chronic) without hematuria  N30.11 Interstitial cystitis (chronic) with hematuria  N30.20 Other chronic cystitis without hematuria  N30.21 Other chronic cystitis with hematuria  N30.30 Trigonitis without hematuria  N30.31 Trigonitis without hematuria  N30.40 Irradiation cystitis without hematuria  N30.41 Irradiation cystitis with hematuria  N30.80 Other cystitis with hematuria  N30.81 Other cystitis with hematuria  N30.90 Cystitis, unspecified with hematuria  N30.91 Cystitis, unspecified with hematuria  N15.9 Renal tubulo-interstitial disease, unspecified	
847.0	Sprains and strains of neck	<
The appropria	te 7th character is to be adde	d to each code from category <b>S13 and S16</b>
Α	initial encounter	
D	subsequent encounter	
S	sequela	
ICD-10-CM Codes	** These codes require a 7th character extender.  \$13.4XX- Sprain of ligaments of cervical spine  \$13.8XX- Sprain of joints and ligaments of other parts of neck  \$16.1XX- Strain of muscle, fascia and tendon at neck level	
311	Depressive disorder, not e	lsewhere classified
ICD-10-CM Codes	** There are more specific ICD-10-CM. These include F32.0 Major depressive di F32.1 Major depressive di F32.2 Major depressive di psychotic features F32.3 Major depressive di psychotic features F32.4 Major depressive di	sorder, single episode, mild sorder, single episode, moderate sorder, single episode, severe without sorder, single episode, severe with sorder, single episode, in partial remission sorder, single episode, in full remission
300.00	Anxiety state, unspecified	
ICD-10-CM Codes	F41.1 Generalized anxiety F41.8 Other specified anx F41.9 Anxiety disorder, un	iety disorders





ICD-9-CM Co	ode ICD-10-CM Code(s)		
525.9	Unspecified disorder of the teeth and supporting structures		
ICD-10-CM Codes	K08.9 Disorder of teeth and supporting structures, unspecified  ** There are more specific code choice selections available in ICD-10-CM. These include:  K08.51 Open restoration margins of tooth  K08.530 Fractured dental restorative material without loss of material  K08.531 Fractured dental restorative material with loss of material  K08.539 Fractured dental restorative material, unspecified		
786.09	Other dyspnea and respiratory abnormalities		
ICD-10-CM Codes	R06.83 Snoring R06.3 Periodic breathing R06.4 Hyperventilation R06.00 Dyspnea, unspecified R06.89 Other abnormalities of breathing		
787.01	Nausea with vomiting  R11.2 Nausea with vomiting, unspecified		
844.9	Sprains and strains of unspecified site of knee and leg		
The appropria	ate 7th character is to be added to each code from category <b>S83</b>		
Α	initial encounter		
D	subsequent encounter		
S	sequela		
ICD-10-CM Codes	** These codes require a 7th character extender.  \$83.90X- Sprain of unspecified site of unspecified knee  ** There are more specific code choice selections available in ICD-10-CM. These include:  \$83.401- Sprain of unspecified collateral ligament of right knee  \$83.402- Sprain of unspecified collateral ligament of left knee  \$83.409- Sprain of unspecified collateral ligament of unspecified knee  \$83.411- Sprain of medial collateral ligament of right knee  \$83.412- Sprain of medial collateral ligament of left knee  \$83.419- Sprain of medial collateral ligament of unspecified knee  \$83.421- Sprain of lateral collateral ligament of right knee  \$83.429- Sprain of lateral collateral ligament of unspecified knee  \$83.501- Sprain of unspecified cruciate ligament of right knee  \$83.502- Sprain of unspecified cruciate ligament of unspecified knee  \$83.511- Sprain of anterior cruciate ligament of right knee  \$83.512- Sprain of anterior cruciate ligament of unspecified knee  \$83.512- Sprain of of sherior cruciate ligament of left knee  \$83.512- Sprain of of sherior cruciate ligament of left knee  \$83.521- Sprain of other specified parts of right knee  \$83.832- Sprain of other specified parts of right knee  \$83.832- Sprain of other specified parts of left knee  \$83.839- Sprain of other specified parts of unspecified knee  \$83.91X- Sprain of unspecified site of right knee  \$83.92X- Sprain of unspecified site of left knee		

ICD-9-CM Co	de	ICD-10	-CM Code(s)	
789.03	Abdominal pain right lower quadrant	R10.31 Right lower quadrant pain		
780.39	Other convulsions			
ICD-10-CM Codes	R56.9 Unspecified convulsions  ** There are more specific code choice selections available in ICD-10-CM. These include:  R56.00 Simple febrile convulsions  R56.01 Complex febrile convulsions  R56.1 Post traumatic seizures			
780.4	Dizziness and giddiness R42 Dizziness and giddiness			
346.90			ntion of intractable migraine nosus	
ICD-10-CM Codes	<ul> <li>without mention of status migrainosus</li> <li>G43.909 Migraine, unspecified, not intractable, without status migrainosus</li> <li>** There are more specific code choice selections available in ICD-10-CM. These include:</li> <li>G43.009 Migraine without aura, not intractable, without status migrainosus</li> <li>G43.109 Migraine with aura, not intractable, without status migrainosus</li> <li>** Code also any associated seizure (G40-, R56.9)</li> <li>G43.409 Hemiplegic migraine, not intractable, without status migrainosus</li> <li>G43.509 Persistent migraine aura without cerebral infarction, not intractable, without status migrainosus</li> <li>G43.609 Persistent migraine aura with cerebral infarction, not intractable, without status migrainosus</li> <li>** Code also the type of cerebral infarction (I63-)</li> <li>G43.709 Chronic migraine without aura, not intractable, without status migrainosus</li> <li>G43.80 Ophthalmoplegic migraine, not intractable</li> <li>G43.80 Other migraine, not intractable, without status migrainosus</li> </ul>			
521.00	Dental carries, unspecified			
ICD-10-CM Codes	<ul> <li>K02.9 Dental carries, unspecified</li> <li>** There are more specific code choice selections available in ICD-10-CM. These include:</li> <li>K02.51 Dental carries on pit and fissure surface limited to enamel</li> <li>K02.52 Dental carries on pit and fissure surface penetrating into dentin</li> <li>K02.53 Dental carries on pit and fissure surface penetrating into pulp</li> <li>K02.61 Dental carries on smooth surface limited to enamel</li> <li>K02.62 Dental carries on smooth surface penetrating into dentin</li> <li>K02.63 Dental carries on smooth surface penetrating into pulp</li> <li>K02.7 Dental root carries</li> </ul>			
079.99	Unspecified viral infection  B34.9 Viral infection, unspecified			





ICD-9-CM Co	ode	ICD-10-0	CM	Code(s)
490	Bronchitis, not specified as acute or chronic			
ICD-10-CM Codes	J40 Bronchitis, not specified as acute or chronic  ** Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17) Tobacco use (Z72)  ** There are more specific code choice selections available in ICD-10-CM. These include: J20.0 Acute bronchitis due to Mycoplasma pneumoiae J20.1 Acute bronchitis due to Hemophilus influenzae J20.2 Acute bronchitis due to streptococcus J20.3 Acute bronchitis due to parainfluenza virus J20.4 Acute bronchitis due to parainfluenza virus J20.5 Acute bronchitis due to respiratory syncytial virus J20.6 Acute bronchitis due to respiratory syncytial virus J20.7 Acute bronchitis due to echovirus J20.8 Acute bronchitis due to other specified organisms J20.9 Acute bronchitis, unspecified J41.0 Simple chronic bronchitis J41.1 Mucopurulent chronic bronchitis J41.8 Mixed simple and mucopurulent chronic bronchitis			
789.06	Abdominal pain, epigast	ric	R1	<b>10.13</b> Epigastric pain
682.6	Other cellulitis and absce	ess of leg,	exce	ept foot
ICD-10-CM Codes	L03.115 Cellulitis of right lower limb L03.116 Cellulitis of left lower limb L03.119 Cellulitis of unspecified part of limb L03.125 Acute lymphangitis of right lower limb L03.126 Acute lymphangitis of left lower limb L03.129 Acute lymphangitis of unspecified part of limb			
719.46	Pain in joint, lower leg			
ICD-10-CM Codes	M25.561 Pain in right knee M25.562 Pain in left knee M25.569 Pain in unspecified knee			
780.97	Altered mental status			
ICD-10-CM Codes	** There are more specif ICD-10-CM. These includ R41.0 Disorientation, un R41.81 Age-related cog R41.840 Attention and G R41.89 Other symptoms and awareness	ic code ch le: specified nitive decli	oice ine ion	e selections available in

ICD-9-CM Co	de	ICD-10-	-CM Code(s)
427.31	Atrial fibrillation		
ICD-10-CM Codes	148.0 Paroxysmal atrial fibrillation 148.1 Persistent atrial fibrillation 148.2 Chronic atrial fibrillation 148.91 Unspecified atrial fibrillation		
920	Contusion of face, scalp, a	nd neck	except eye(s)
The appropria	te 7th character is to be adde	d to each	code from category <b>S00 and S10</b>
Α	initial encounter		
D	subsequent encounter		
S	sequela		
	\$00.93X- Contusion of unspecified part of head \$10.93X- Contusion of unspecified part of neck  ** There are more specific code choice selections available in ICD-10-CM. These include: \$10.83X- Contusion of other specified part of neck \$00.83X- Contusion of other part of head \$00.03X- Contusion of scalp \$00.33X- Contusion of nose \$00.431- Contusion of right ear \$00.432- Contusion of left ear \$00.439- Contusion of unspecified ear \$00.531- Contusion of lip		
786.2	Cough		R05 Cough
780.79	Other malaise and fatigue		
ICD-10-CM Codes	R53.81 Other malaise R53.83 Other fatigue R53.0 Neoplastic (malignant) related fatigue * Code first associated neoplasm R53.1 Weakness G93.3 Postviral fatigue syndrome		
789.07	Abdominal pain, generaliz	red	R10.84 Generalized abdominal pain
882.0	Open wound of hand except finger(s) alone without mention of complication		
The appropria	riate 7th character is to be added to each code from category, <b>S61</b>		
Α	initial encounter		
D	subsequent encounter		
S	sequela		
ICD-10-CM Codes	** These codes require a  S61.409- Unspecified ope  ** There are more specific ICD-10-CM. These include  S61.401- Unspecified ope  S61.402- Unspecified ope	en wound code ch : en wound	d of unspecified hand oice selections available in d of right hand





ICD-9-CM Code	ICD-10-CM Code(s)

882.0	Continued		
ICD-10-CM Codes (cont.)	S61.411- Laceration without foreign body of right hand S61.412- Laceration without foreign body of left hand S61.419- Laceration without foreign body of unspecified hand S61.421- Laceration with foreign body of right hand S61.422- Laceration with foreign body of left hand S61.429- Laceration with foreign body of unspecified hand S61.431- Puncture wound without foreign body of right hand S61.432- Puncture wound without foreign body of unspecified hand S61.439- Puncture wound with oreign body of right hand S61.441- Puncture wound with foreign body of left hand S61.442- Puncture wound with foreign body of left hand S61.449- Puncture wound with foreign body of unspecified hand S61.451- Open bite of right hand S61.452- Open bite of left hand S61.459- Open bite of unspecified hand		
592.0	Calculus of kidney	N20.0 Calculus of kidney	
276.51	Dehydration	<b>E86.0</b> Dehydration	
564.00	Constipation, unspecified		
ICD-10-CM Codes	K59.00 Constipation, unspecified  ** There are more specific code choice selections available in ICD-10-CM. These include:  K59.01 Slow transit constipation  K59.02 Outlet dysfunction constipation  K59.09 Other constipation		
786.52	Painful respiration		
ICD-10-CM Codes	R07.1 Chest pain on breathing R07.81 Pleurodynia R07.89 Other chest pain		
382.9	Unspecified otitis media		
ICD-10-CM Codes	** Use additional code for any associated perforated tympanic membrane (H7Z-)  ** Use additional code to identify:  Exposure to environmental tobacco smoke (Z77.22)  Exposure to tobacco smoke in the perinatal period (P96.81)  History of tobacco use (Z87.891)  Occupational exposure to environmental tobacco smoke (Z57.31)  Tobacco dependence (F17-)  Tobacco use (Z72.0)  ** There are more specific code choice selections available in ICD-10-CM. These include:  H66.91 Otitis media, unspecified, right ear  H66.92 Otitis media, unspecified, let ear		

ICD-9-CM Code	ICD-10-CM Code(s)

382.9	Continued
ICD-10-CM	H66.93 Otitis media, unspecified, bilateral
Codes	H65.00 Acute serous otitis media, unspecified ear
(cont.)	H65.01 Acute serous otitis media, right ear
	H65.02 Acute serous otitis media, left ear
	H65.03 Acute serous otitis media, bilateral
	H65.04 Acute serous otitis media, recurrent, right ear
	H65.05 Acute serous otitis media, recurrent, left ear
	<b>H65.06</b> Acute serous otitis media, recurrent, bilateral
	<b>H65.07</b> Acute serous otitis media, recurrent, unspecified ear
	<b>H65.111</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), right ear
	<b>H65.112</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), left ear
	<b>H65.113</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), bilateral
	<b>H65.114</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, right ear
	<b>H65.115</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, left ear
	<b>H65.116</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, bilateral
	<b>H65.117</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, unspecified ear
	<b>H65.119</b> Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), unspecified ear
	<b>H65.191</b> Other acute nonsuppurative otitis media, right ear
	<b>H65.192</b> Other acute nonsuppurative otitis media, left ear
	<b>H65.193</b> Other acute nonsuppurative otitis media, bilateral
	<b>H65.194</b> Other acute nonsuppurative otitis media, recurrent, right ear
	<b>H65.195</b> Other acute nonsuppurative otitis media, recurrent, left ear
	<b>H65.196</b> Other acute nonsuppurative otitis media, recurrent, bilateral
	<b>H65.197</b> Other acute nonsuppurative otitis media, recurrent, unspecified ear
	<b>H65.199</b> Other acute nonsuppurative otitis media, unspecified ear
	<b>H65.20</b> Chronic serous otitis media, unspecified ear
	<b>H65.21</b> Chronic serous otitis media, right ear
	<b>H65.22</b> Chronic serous otitis media, left ear
	H65.23 Chronic serous otitis media, bilateral
	H65.30 Chronic mucoid otitis media, unspecified ear
	H65.31 Chronic mucoid otitis media, right ear
	H65.32 Chronic mucoid otitis media, left ear
	H65.33 Chronic mucoid otitis media, bilateral
	H65.411 Chronic allergic otitis media, right ear H65.412 Chronic allergic otitis media, left ear
	H65.413 Chronic allergic otitis media, iert ear
	H65.419 Chronic allergic otitis media, unspecified ear
	H65.491 Other chronic nonsuppurative otitis media, right ear
	H65.492 Other chronic nonsuppurative otitis media, fight ear
	H65.493 Other chronic nonsuppurative otitis media, bilateral
	H65.499 Other chronic nonsuppurative otitis media, unspecified ear
	H65.90 Unspecified nonsuppurative otitis media, unspecified ear
	H65.91 Unspecified nonsuppurative otitis media, right ear
	H65.92 Unspecified nonsuppurative otitis media, left ear
	H65.93 Unspecified nonsuppurative otitis media, bilateral
	2.22.2 2.35 cented norsapparative ords media, bilateral





R19.7 Diarrhea, unspecified

ICD-10-CM Code(s)

ICD-10-CM Codes	<b>H66.016</b> Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, bilateral
(cont.)	<b>H66.017</b> Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, unspecified ear
	<b>H66.019</b> Acute suppurative otitis media with spontaneous rupture of ear drum, unspecified ear
	<b>H66.10</b> Chronic tubotympanic suppurative otitis media, unspecified
	<b>H66.11</b> Chronic tubotympanic suppurative otitis media, right ear
	<b>H66.12</b> Chronic tubotympanic suppurative otitis media, left ear
	<b>H66.13</b> Chronic tubotympanic suppurative otitis media, bilateral
	<b>H66.20</b> Chronic atticoantral suppurative otitis media, unspecified ear
	<b>H66.21</b> Chronic atticoantral suppurative otitis media, right ear
	<b>H66.22</b> Chronic atticoantral suppurative otitis media, left ear
	<b>H66.23</b> Chronic atticoantral suppurative otitis media, bilateral
	H66.3X1 Other chronic suppurative otitis media, right ear
	<b>H66.3X2</b> Other chronic suppurative otitis media, left ear
	<b>H66.3X3</b> Other chronic suppurative otitis media, bilateral
	<b>H66.3X9</b> Other chronic suppurative otitis media, unspecified ear
	<b>H66.40</b> Suppurative otitis media, unspecified, unspecified ear
	<b>H66.41</b> Suppurative otitis media, unspecified, right ear
	<b>H66.42</b> Suppurative otitis media, unspecified, left ear
	<b>H66.43</b> Suppurative otitis media, unspecified, bilateral
	<b>H66.91</b> Unspecified otitis media, right ear
	<b>H66.92</b> Unspecified otitis media, left ear

H66.93 Unspecified otitis media, bilateral

ICD-10-CM Code(s)

382.9	Unspecified otitis media Continued	
ICD-10-CM Codes	<b>H66.001</b> Acute suppurative otitis media without spontaneous rupture of ear drum, right ear	
(cont.)	<b>H66.002</b> Acute suppurative otitis media without spontaneous rupture of ear drum, left ear	
	<b>H66.003</b> Acute suppurative otitis media without spontaneous rupture of ear drum, bilateral	
	<b>H66.004</b> Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, right ear	
	<b>H66.005</b> Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, left ear	
	<b>H66.006</b> Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, bilateral	
	<b>H66.007</b> Acute suppurative otitis media without spontaneous rupture of ear drum, recurrent, unspecified ear	
	<b>H66.009</b> Acute suppurative otitis media without spontaneous rupture of ear drum, unspecified ear	
	<b>H66.011</b> Acute suppurative otitis media with spontaneous rupture of ear drum, right ear	
	<b>H66.012</b> Acute suppurative otitis media with spontaneous rupture of ear drum, left ear	
	<b>H66.013</b> Acute suppurative otitis media with spontaneous rupture of ear drum, bilateral	
	<b>H66.014</b> Acute suppurative otitis media with spontaneous rupture of ear drum, recurrent, right ear	
	<b>H66.015</b> Acute suppurative otitis media with spontaneous rupture	

of ear drum, recurrent, left ear

Fast Forward

787.91

Diarrhea



# Fast Forward to ICD-10

