



| ICD-9-CM Code | ICD-10-CM Code(s) |
|-----------------|--|
| 401.9 | Essential hypertension, unspecified I10 Essential (primary) hypertension |
| 250.00 | Diabetes mellitus without mention of complications type II or unspecified type, not stated as uncontrolled E11.9 Type 2 diabetes mellitus without complications |
| 272.4 | Other and unspecified hyperlipidemia |
| ICD-10-CM Codes | E78.4 Other hyperlipidemia E78.5 Hyperlipidemia, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: E78.0 Pure hypercholesterolemia E78.1 Pure hyperglyceridemia E78.2 Mixed hyperlipidemia E78.3 Hyperchylomicronemia E78.6 Lipoprotein deficiency |
| V70.0 | Routine general medical examination at a health care facility |
| ICD-10-CM Codes | Z00.00 Encounter for general adult medical examination without abnormal findings Z00.01 Encounter for general adult medical examination with abnormal findings ** Use additional code to identify abnormal findings |
| 724.5 | Backache, unspecified |
| ICD-10-CM Codes | M54.9 Dorsalgia, unspecified ** There are more specific code choice selections available for back pain. These include: M54.89 Other dorsalgia M54.6 Pain in thoracic spine M54.5 Low back pain M53.3 Sacroccygeal disorders, not elsewhere classified |
| 414.00 | Coronary atherosclerosis of unspecified type of vessel, native or graft I25.10 Atherosclerotic heart disease of native coronary artery without angina pectoris |
| V72.81 | Preoperative cardiovascular examination Z01.810 Encounter for preprocedural cardiovascular examination |
| 780.79 | Other malaise and fatigue |
| ICD-10-CM Codes | R53.1 Weakness R53.81 Other malaise R53.83 Other fatigue G93.3 Postviral fatigue syndrome R53.0 Neoplastic (malignant) related fatigue * Code first associated neoplasm |
| 496 | Chronic airway obstruction, not elsewhere classified |
| ICD-10-CM Codes | J44.9 Chronic obstructive pulmonary disease, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection J44.1 Chronic obstructive pulmonary disease with (acute) exacerbation ** Code also type of asthma, if applicable (J45.-) ** Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) History of tobacco use (Z87.891) |

| ICD-9-CM Code | ICD-10-CM Code(s) |
|-------------------------|---|
| ICD-10-CM Codes (cont.) | Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17.-) Tobacco use (Z72.0) |
| 427.31 | Atrial fibrillation |
| ICD-10-CM Codes | I48.0 Paroxysmal atrial fibrillation I48.1 Persistent atrial fibrillation I48.2 Chronic atrial fibrillation I48.91 Unspecified atrial fibrillation |
| V04.81 | Need for prophylactic vaccination and inoculation, influenza Z23 Encounter for immunization |
| 786.2 | Cough R05 Cough |
| 311 | Depressive disorder, not elsewhere classified |
| ICD-10-CM Codes | F32.9 Major depressive disorder, single episode, unspecified ** There are more specific code choice selections available for depression. These include: F32.0 Major depressive disorder, single episode, mild F32.1 Major depressive disorder, single episode, moderate F32.2 Major depressive disorder, single episode, severe without psychotic features F32.3 Major depressive disorder, single episode, severe with psychotic features F32.4 Major depressive disorder, single episode, in partial remission F32.5 Major depressive disorder, single episode, in full remission F32.8 Other depressive episodes |
| 250.02 | Diabetes mellitus without mention of complications type II or unspecified type, uncontrolled E11.65 Type 2 diabetes mellitus with hyperglycemia |
| 729.5 | Pain in limb |
| ICD-10-CM Codes | M79.609 Pain in unspecified limb ** There are more specific code choice selections available in ICD-10-CM. These include: M79.601 Pain in right arm M79.602 Pain in left arm M79.603 Pain in arm, unspecified M79.604 Pain in right leg M79.605 Pain in left leg M79.606 Pain in leg, unspecified M79.621 Pain in right upper arm M79.622 Pain in left upper arm M79.629 Pain in unspecified upper arm M79.631 Pain in right forearm M79.632 Pain in left forearm M79.639 Pain in unspecified forearm M79.641 Pain in right hand M79.642 Pain in left hand M79.643 Pain in unspecified hand M79.644 Pain in right finger(s) M79.645 Pain in left finger(s) M79.646 Pain in unspecified finger(s) M79.671 Pain in right foot M79.672 Pain in left foot M79.673 Pain in unspecified foot M79.674 Pain in right toe(s) |



| ICD-9-CM Code | ICD-10-CM Code(s) |
|----------------------------|---|
| 729.5 (cont.) | Pain in limb |
| ICD-10-CM Codes (cont.) | M79.675 Pain in left toe(s) M79.676 Pain in unspecified toe(s) M79.651 Pain in right thigh M79.652 Pain in left thigh M79.659 Pain in unspecified thigh M79.661 Pain in right lower leg M79.662 Pain in left lower leg M79.669 Pain in unspecified lower leg |
| 428.0 | Congestive heart failure, unspecified |
| ICD-10-CM Codes | I50.9 Heart failure, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: I50.1 Left ventricular failure I50.21 Acute systolic (congestive) heart failure I50.22 Chronic systolic (congestive) heart failure I50.23 Acute on chronic systolic (congestive) heart failure I50.31 Acute diastolic (congestive) heart failure I50.32 Chronic diastolic (congestive) heart failure I50.33 Acute on chronic diastolic (congestive) heart failure I50.41 Acute combined systolic (congestive) and diastolic (congestive) heart failure I50.42 Chronic combined systolic (congestive) and diastolic (congestive) heart failure I50.43 Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure |
| 782.1 | Rash and other nonspecific skin eruption R21 Rash and other nonspecific skin changes |
| 786.50 | Chest pain, unspecified |
| ICD-10-CM Codes | R07.9 Chest pain, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: R07.1 Chest pain on breathing R07.81 Pleurodynia R07.89 Other chest pain |
| 789.00 | Abdominal pain, unspecified site |
| ICD-10-CM Codes | R10.9 Unspecified abdominal pain ** There are more specific code choice selections available for abdominal pain. These include: R10.0 Acute abdomen R10.10 Upper abdominal pain, unspecified R10.11 Right upper quadrant pain R10.12 Left upper quadrant pain R10.13 Epigastric pain R10.2 Pelvic and perineal pain R10.30 Lower abdominal pain, unspecified R10.31 Right lower quadrant pain R10.32 Left lower quadrant pain R10.33 Periumbilical pain R10.84 Generalized abdominal pain |

| ICD-9-CM Code | ICD-10-CM Code(s) |
|-----------------|--|
| 719.46 | Pain in joint, lower leg |
| ICD-10-CM Codes | M25.561 Pain in right knee M25.562 Pain in left knee M25.569 Pain in unspecified knee |
| 782.3 | Edema |
| ICD-10-CM Codes | R60.0 Localized edema R60.1 Generalized edema R60.9 Edema, unspecified |
| 300.00 | Anxiety state, unspecified |
| ICD-10-CM Codes | F41.1 Generalized anxiety disorder F41.8 Other specified anxiety disorders F41.9 Anxiety disorder, unspecified |
| V72.83 | Other specified preoperative examination Z01.818 Encounter for other preprocedural examination |
| 780.4 | Dizziness and giddiness R42 Dizziness and giddiness |
| 466.0 | Acute bronchitis |
| ICD-10-CM Codes | J20.9 Acute bronchitis, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: J20.0 Acute bronchitis due to Mycoplasma pneumoniae J20.1 Acute bronchitis due to Hemophilus influenzae J20.2 Acute bronchitis due to streptococcus J20.3 Acute bronchitis due to coxsackievirus J20.4 Acute bronchitis due to parainfluenza virus J20.5 Acute bronchitis due to respiratory syncytial virus J20.6 Acute bronchitis due to rhinovirus J20.7 Acute bronchitis due to echovirus J20.8 Acute bronchitis due to other specified organisms |
| 786.05 | Shortness of breath R06.02 Shortness of breath |
| 465.9 | Acute upper respiratory infections of unspecified site |
| ICD-10-CM Codes | J06.9 Acute upper respiratory infection, unspecified J39.8 Other specified diseases of upper respiratory tract |
| 530.81 | Esophageal reflux |
| ICD-10-CM Codes | K21.9 Gastro-esophageal reflux disease without esophagitis K21.0 Gastro-esophageal reflux disease with esophagitis |



| ICD-9-CM Code | ICD-10-CM Code(s) |
|-------------------------|--|
| 599.0 | Urinary tract infection, site not specified |
| ICD-10-CM Codes | <p>N39.0 Urinary tract infection, site not specified ** Use additional code (B95-B97) to identify infectious agent ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>N30.00 Acute cystitis without hematuria N30.01 Acute cystitis with hematuria N30.10 Interstitial cystitis (chronic) without hematuria N30.11 Interstitial cystitis (chronic) with hematuria N30.20 Other chronic cystitis without hematuria N30.21 Other chronic cystitis with hematuria N30.30 Trigonitis without hematuria N30.31 Trigonitis with hematuria N30.40 Irradiation cystitis without hematuria N30.41 Irradiation cystitis with hematuria N30.80 Other cystitis without hematuria N30.81 Other cystitis with hematuria</p> |
| ICD-10-CM Codes (cont.) | <p>N30.80 Other cystitis without hematuria N30.81 Other cystitis with hematuria N30.90 Cystitis, unspecified without hematuria N30.91 Cystitis, unspecified with hematuria N15.9 Renal tubule-interstitial disease, unspecified N34.1 Nonspecific urethritis N34.2 Other urethritis</p> |
| 724.4 | Thoracic or lumbosacral neuritis or radiculitis, unspecified |
| ICD-10-CM Codes | <p>M54.14 Radiculopathy, thoracic region M54.15 Radiculopathy, thoracolumbar region M54.16 Radiculopathy, lumbar region M54.17 Radiculopathy, lumbosacral region</p> |
| 244.9 | Unspecified hypothyroidism |
| ICD-10-CM Codes | <p>E03.9 Hypothyroidism, unspecified ** There are more specific code choice selections available for hypothyroidism. These include:</p> <p>E03.0 Congenital hypothyroidism with diffuse goiter E03.1 Congenital hypothyroidism without goiter E03.2 Hypothyroidism due to medicaments and other exogenous substances ** Code first poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6) * Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)</p> <p>E03.3 Postinfectious hypothyroidism E03.4 Atrophy of thyroid (acquired) E03.5 Myxedema coma E03.8 Other specified hypothyroidism</p> |
| 380.4 | Impacted cerumen |
| ICD-10-CM Codes | <p>H61.21 Impacted cerumen, right ear H61.22 Impacted cerumen, left ear H61.23 Impacted cerumen, bilateral H61.20 Impacted cerumen, unspecified ear</p> |

| ICD-9-CM Code | ICD-10-CM Code(s) |
|-------------------------|--|
| 719.41 | Pain in joint, shoulder region |
| ICD-10-CM Codes | <p>M25.511 Pain in right shoulder M25.512 Pain in left shoulder M25.519 Pain in unspecified shoulder</p> |
| 290.0 | Senile dementia, uncomplicated |
| | F03.9 Unspecified dementia |
| 723.1 | Cervicalgia |
| | M54.2 Cervicalgia |
| 787.91 | Diarrhea |
| | R19.7 Diarrhea, unspecified |
| 285.9 | Anemia, unspecified |
| ICD-10-CM Codes | <p>D64.9 Anemia, unspecified ** There are more specific code choice selections available for use. These include:</p> <p>D64.0 Hereditary sideroblastic anemia D64.1 Secondary sideroblastic anemia due to disease ** Code first underlying disease</p> |
| ICD-10-CM Codes (cont.) | <p>D64.2 Secondary sideroblastic anemia due to drugs and toxins ** Code first (T36-T65) to identify drug or toxin ** Code first poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6) * Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)</p> <p>D64.3 Other sideroblastic anemia D64.81 Anemia due to antineoplastic chemotherapy D64.89 Other specified anemias</p> |
| 461.9 | Acute sinusitis, unspecified |
| ICD-10-CM Codes | <p>J01.90 Acute sinusitis, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>J01.00 Acute maxillary sinusitis, unspecified J01.01 Acute recurrent maxillary sinusitis J01.10 Acute frontal sinusitis, unspecified J01.11 Acute recurrent frontal sinusitis J01.20 Acute ethmoidal sinusitis, unspecified J01.21 Acute recurrent ethmoidal sinusitis J01.30 Acute sphenoidal sinusitis J01.31 Acute recurrent sphenoidal sinusitis J01.40 Acute pansinusitis, unspecified J01.41 Acute recurrent pansinusitis J01.80 Other acute sinusitis J01.81 Other acute recurrent sinusitis, unspecified J01.91 Acute recurrent sinusitis, unspecified</p> |
| 719.45 | Pain in joint, pelvic region and thigh |
| ICD-10-CM Codes | <p>M25.551 Pain in right hip M25.552 Pain in left hip M25.559 Pain in unspecified hip</p> |



| ICD-9-CM Code | ICD-10-CM Code(s) | |
|-----------------|--|---|
| 477.9 | Allergic rhinitis, cause unspecified | |
| ICD-10-CM Codes | J30.9 Allergic rhinitis, unspecified ** There are more specific code choice selections available for allergic rhinitis. These include: J30.0 Vasomotor rhinitis J30.1 Allergic rhinitis due to pollen J30.2 Other seasonal allergic rhinitis J30.5 Allergic rhinitis due to food J30.81 Allergic rhinitis due to animal (cat) (dog) hair and dander J30.89 Other allergic rhinitis | |
| 784.0 | Headache | R51 Headache |
| 564.00 | Constipation, unspecified | |
| ICD-10-CM Codes | K59.00 Constipation, unspecified ** There are more specific code choice selections available for constipation. These include: K59.01 Slow transit constipation K59.02 Outlet dysfunction constipation K59.09 Other constipation | |
| 486 | Pneumonia, organism unspecified | |
| ICD-10-CM Codes | J18.9 Pneumonia, unspecified organism J18.8 Other pneumonia, unspecified organism ** Code first associated influenza, if applicable (J09.X1, J10.0- to J11.0-) | |
| 338.4 | Chronic pain syndrome | G89.4 Chronic pain syndrome |
| 796.2 | Elevated blood pressure reading without diagnosis of hypertension | R03.0 Elevated blood-pressure reading, without diagnosis of hypertension |
| 780.2 | Syncope and collapse | R55 Syncope and collapse |

| ICD-9-CM Code | ICD-10-CM Code(s) | |
|-----------------|---|----------------------------|
| 493.90 | Asthma, unspecified | |
| ICD-10-CM Codes | J45.909 Unspecified asthma, uncomplicated ** There are more specific code choice selections available for asthma. These include: J45.20 Mild intermittent asthma, uncomplicated J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 Mild intermittent asthma with status asthmaticus J45.30 Mild persistent asthma, uncomplicated J45.31 Mild persistent asthma with (acute) exacerbation J45.32 Mild persistent asthma with status asthmaticus J45.40 Moderate persistent asthma, uncomplicated J45.41 Moderate persistent asthma with (acute) exacerbation J45.42 Moderate persistent asthma with status asthmaticus J45.50 Severe persistent asthma, uncomplicated J45.51 Severe persistent asthma with (acute) exacerbation J45.52 Severe persistent asthma with status asthmaticus J45.901 Unspecified asthma with (acute) exacerbation J45.902 Unspecified asthma with status asthmaticus J45.990 Exercise induced bronchospasm J45.991 Cough variant asthma J45.998 Other asthma * Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17-) tobacco use (Z72.0) | |
| 724.2 | Lumbago | M54.5 Low back pain |
| 682.6 | Cellulitis and abscess leg, except foot | |
| ICD-10-CM Codes | L03.115 Cellulitis of right lower limb L03.116 Cellulitis of left lower limb L03.119 Cellulitis of unspecified part of limb L03.125 Acute lymphangitis of right lower limb L03.126 Acute lymphangitis of left lower limb L03.129 Acute lymphangitis of unspecified part of limb | |
| 462 | Acute pharyngitis | |
| ICD-10-CM Codes | J02.8 Acute pharyngitis due to other specified organisms ** Use additional code (B95–B97) to identify infectious agent J02.0 Streptococcal pharyngitis J02.9 Acute pharyngitis, unspecified | |