ICD-9-CM	Code	ICD-10-CM Code(s)
V20.2	Routine infant or child health check	
ICD-10-CM Codes	<ul> <li>Z00.121 Encounter for routine child health examination with abnormal findings</li> <li>** Use additional code to identify abnormal findings</li> <li>Z00.129 Encounter for routine child health examination without abnormal findings</li> </ul>	
V72.19	Other examination of ea	ars and hearing
ICD-10-CM Codes	<ul> <li>Z01.10 Encounter for examination of ears and hearing without abnormal findings</li> <li>Z01.110 Encounter for hearing examination following failed hearing screening</li> <li>Z01.118 Encounter for examination of ears and hearing with other abnormal findings</li> <li>** Use additional code to identify abnormal findings</li> </ul>	
V72.0	Examination of eyes and	d vision
ICD-10-CM Codes	abnormal findir <b>Z01.01</b> Encounter for e abnormal findir	xamination of eyes and vision with
493.00	Extrinsic asthma, unspe	cified
ICD-10-CM Codes	J45.901 Unspecified asthma with (acute) exacerbation J45.902 Unspecified asthma with status asthmaticus J45.909 Unspecified asthma, uncomplicated **Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17-) tobacco use (Z72.0)	
465.9	Acute upper respiratory	r infection of unspecified site
ICD-10-CM Codes		iratory infection, unspecified iseases of upper respiratory tract
382.9	Unspecified otitis media	a
ICD-10-CM Codes	<ul> <li>** Use additional code membrane (H72-)</li> <li>** Use additional code t Exposure to environme Exposure to tobacco sm History of tobacco use (Occupational exposure (Z57.31)</li> <li>Tobacco dependence (I Tobacco use (Z72.0)</li> </ul>	ntal tobacco smoke ( <b>Z77.22</b> ) noke in the perinatal period ( <b>P96.81</b> ) <b>Z87.891</b> ) to environmental tobacco smoke <b>F17-</b> ) ific code choice selections available in ide: ispecified, right ear ispecified, let ear

ICD-9-CM C	ode ICD-10-CM Code(s)
ICD-10-CM	There are more specific codes available for otis media.
Codes	These include:
(cont.)	H65.00 Acute serous otitis media, unspecified ear H65.01 Acute serous otitis media, right ear
	H65.02 Acute serous otitis media, left ear
	H65.03 Acute serous otitis media, bilateral
	H65.04 Acute serous otitis media, recurrent, right ear
	H65.05 Acute serous otitis media, recurrent, left ear
	H65.06 Acute serous otitis media, recurrent, bilateral
	H65.07 Acute serous otitis media, recurrent, unspecified ear H65.111 Acute and subacute allergic otitis media (mucoid)
	(sanguinous) (serous), right ear <b>H65.112</b> Acute and subacute allergic otitis media (mucoid)
	(sanguinous) (serous), left ear
	H65.113 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), bilateral
	H65.114 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, right ear
	H65.115 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, left ear
	H65.116 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, bilateral
	H65.117 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), recurrent, unspecified ear
	H65.119 Acute and subacute allergic otitis media (mucoid) (sanguinous) (serous), unspecified ear
	H65.191 Other acute nonsuppurative otitis media, right ear
	H65.192 Other acute nonsuppurative otitis media, left ear
	H65.193 Other acute nonsuppurative otitis media, bilateral
	H65.194 Other acute nonsuppurative otitis media, recurrent, right ear
	H65.195 Other acute nonsuppurative otitis media, recurrent, left ear
	H65.196 Other acute nonsuppurative otitis media, recurrent, bilateral
	H65.197 Other acute nonsuppurative otitis media, recurrent, unspecified ear
	H65.199 Other acute nonsuppurative otitis media, unspecified ear
	H65.20 Chronic serous otitis media, unspecified ear
	H65.21 Chronic serous otitis media, right ear H65.22 Chronic serous otitis media, left ear
	H65.22 Chronic serous otitis media, ieit ear H65.23 Chronic serous otitis media, bilateral
	H65.30 Chronic mucoid otitis media, unspecified ear
	H65.31 Chronic mucoid otitis media, right ear
	H65.32 Chronic mucoid otitis media, left ear
	H65.33 Chronic mucoid otitis media, bilateral
	H65.411 Chronic allergic otitis media, right ear
	<b>H65.412</b> Chronic allergic otitis media, left ear
	H65.413 Chronic allergic otitis media, bilateral H65.419 Chronic allergic otitis media, unspecified ear
	<b>H65.491</b> Other chronic nonsuppurative otitis media, right ear
	<b>H65.492</b> Other chronic nonsuppurative otitis media, left ear
	H65.493 Other chronic nonsuppurative otitis media, bilateral
	H65.499 Other chronic nonsuppurative otitis media, unspecified ear
	H65.90 Unspecified nonsuppurative otitis media, unspecified ear
	<b>H65.91</b> Unspecified nonsuppurative otitis media, right ear
	H65.92 Unspecified nonsuppurative otitis media, left ear
	H65.93 Unspecified nonsuppurative otitis media, bilateral H66.001 Acute suppurative otitis media without spontaneous
	rupture of ear drum, right ear
	<b>H66.002</b> Acute suppurative otitis media without spontaneous rupture of ear drum, left ear

Copyright © 2013 AAPC all rights reserved — 2480 S. 3850 W. Suite B. Salt Lake City, Utah, 84120 — 800-626-CODE (2633) — www.aapc.com/icd-10/

ICD-9-CM	Code ICD-10-CM Code(s)
382.9	Unspecified otitis mediaContiuned
	<b>H66.3X9</b> Other chronic suppurative otitis media, unspecified ear <b>H66.40</b> Suppurative otitis media, unspecified, unspecified ear
	<ul> <li>H67.9 Otitis media in diseases classified elsewhere, unspecified ear</li> <li>**Code first underlying disease, such as: viral disease NEC (B00-B34)</li> <li>** Use additional code for any associated perforated tympanic membrane (H72-)</li> <li>** Use additional code to identify:</li> <li>Exposure to environmental tobacco smoke (Z77.22)</li> <li>Exposure to tobacco smoke in the perinatal period (P96.81)</li> <li>History of tobacco use (Z87.891)</li> <li>Occupational exposure to environmental tobacco smoke (Z57.31)</li> <li>Tobacco use (Z72.0)</li> </ul>

ICD-9-CM C	ode	ICD-10-CM Code(s)
785.2	Undiagnosed cardiac murmurs	R01.1 Cardiac murmur, unspecified
462	Acute pharyngitis	
ICD-10-CM Codes	J02.8 Acute pharyngitis due to other specified organisms ** Use additional code (B95-B97) to identify infectious agent J02.0 Streptococcal pharyngitis J02.9 Acute pharyngitis, unspecified	
277.00	Cystic fibrosis without me	ention of meconium ileus
ICD-10-CM Codes	<ul> <li>E84.9 Cystic fibrosis, unspecified</li> <li>** There are more specific code choice selections available in ICD-10-CM. These include:</li> <li>E84.0 Cystic fibrosis with pulmonary manifestations</li> <li>** Use additional code to identify any infectious organism present, such as: Pseudomonas (B96.5)</li> <li>E84.11 Meconium ileus in cystic fibrosis</li> <li>E84.19 Cystic fibrosis with other intestinal manifestations</li> <li>E84.8 Cystic fibrosis with other manifestations</li> </ul>	
204.00	Acute lymphoid leukemi remission/failed remissio	a without mention of having achieved n
ICD-10-CM Codes	<ul> <li>C91.90 Lymphoid leukemia, unspecified not having achieved remission</li> <li>** There are more specific code choice selections available in ICD-10-CM. These include:</li> <li>C91.00 Acute lymphoblastic leukemia not having achieved remission</li> <li>C91.10 Chronic lymphocytic leukemia of B-cell type not having achieved remission</li> <li>C91.30 Prolymphocytic leukemia of B-cell type not having achieved remission</li> <li>C91.40 Hairy cell leukemia not having achieved remission</li> <li>C91.50 Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission</li> <li>C91.60 Prolymphocytic leukemia of T-cell type not having achieved remission</li> <li>C91.60 Prolymphocytic leukemia Burkitt-type not having achieved remission</li> <li>C91.A0 Mature B-cell leukemia Burkitt-type not having achieved remission</li> </ul>	
250.01	Diabetes mellitus without mention of complication, not stated as uncontrolled	type I, without complications
194.0	Malignant neoplasm of adrenal gland	
ICD-10-CM Codes	adrenal gland ** There are more specifi ICD-10-CM. These includ C74.00 Malignant neopla C74.01 Malignant neoplas C74.10 Malignant neoplas C74.11 Malignant neoplas C74.12 Malignant neopla C74.91 Malignant neopla gland	asm of unspecified part of unspecified c code choice selections available in e: sm of cortex of unspecified adrenal gland asm of cortex of right adrenal gland asm of cortex of left adrenal gland m of medulla of unspecified adrenal gland usm of medulla of right adrenal gland asm of unspecified part of right adrenal asm of unspecified part of left adrenal

ICD-9-CM	Code	ICD-10-CM Code(s)
V74.1	Special screening examination for pulmo- nary tuberculosis	<b>Z11.1</b> Encounter for screening for respiratory tuberculosis
786.2	Cough	R05 Cough
V01.1	Contact with or expo- sure to tuberculosis	<b>Z20.1</b> Contact with and (suspected) exposure to tuberculosis
779.5	Drug withdrawal syndro	me in newborn
ICD-10-CM Codes	drugs of addictior	wal symptoms from maternal use of n toms from therapeutic use of drugs in
250.03	Diabetes mellitus withou mention of complication I, uncontrolled	
530.81	Esophageal reflux	
ICD-10-CM Codes	<b>K21.9</b> Gastro-esophageal reflux without esophagitis <b>K21.0</b> Gastro-esophageal reflux with esophagitis	
564.00	Constipation, unspecifie	d
ICD-10-CM Codes	<ul> <li>K59.00 Constipation, unspecified</li> <li>** There are more specific code choice selections available in ICD-10-CM. These include:</li> <li>K59.01 Slow transit constipation</li> <li>K59.02 Outlet dysfunction constipation</li> <li>K59.09 Other constipation</li> </ul>	
493.90	Asthma, unspecified	
ICD-10-CM Codes	Asthma, unspecified J45.909 Unspecified asthma, uncomplicated ** There are more specific code choice selections available in ICD-10-CM. These include: J45.20 Mild intermittent asthma, uncomplicated J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 Mild intermittent asthma with status asthmaticus J45.30 Mild persistent asthma, uncomplicated J45.31 Mild persistent asthma with (acute) exacerbation J45.32 Mild persistent asthma with status asthmaticus J45.40 Moderate persistent asthma with (acute) exacerbation J45.41 Moderate persistent asthma with (acute) exacerbation J45.50 Severe persistent asthma with (acute) exacerbation J45.51 Severe persistent asthma with (acute) exacerbation J45.52 Severe persistent asthma with (acute) exacerbation J45.5901 Unspecified asthma with status asthmaticus J45.901 Unspecified asthma with status asthmaticus J45.991 Cough variant asthma *** Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) Exposure to environmental tobacco smoke (Z57.31) Tobacco use (Z72.0)	

ICD-9-CM C	ode	ICD-10-CM Code(s)
745.4	Ventricular septal defect	Q21.0 Ventricular septal defect
745.5	Ostium secundum type atrial septal defect	Q21.1 Atrial septal defect
034.0	Streptococcal sore throat	J02.0 Streptococcal pharyngitis
789.00	Abdominal pain, unspeci	fied site
ICD-10-CM Codes	<ul> <li>R10.9 Unspecified abdominal pain</li> <li>** There are more specific code choice selections available for use. These include:</li> <li>R10.0 Acute abdomen</li> <li>R10.10 Upper abdominal pain, unspecified</li> <li>R10.11 Right upper quadrant pain</li> <li>R10.12 Left upper quadrant pain</li> <li>R10.3 Epigastric pain</li> <li>R10.30 Lower abdominal pain, unspecified</li> <li>R10.31 Right lower quadrant pain</li> <li>R10.32 Left lower quadrant pain</li> <li>R10.33 Periumbilical pain</li> <li>R10.34 Generalized abdominal pain</li> </ul>	
555.2	Regional enteritis, small intestine with large intestine	
ICD-10-CM Codes	complication ** There are more specifi ICD-10-CM. These includ <b>K50.811</b> Crohn's disease rectal bleeding <b>K50.812</b> Crohn's disease intestinal obstru <b>K50.813</b> Crohn's disease fistula <b>K50.814</b> Crohn's disease abscess <b>K50.818</b> Crohn's disease other complicat <b>K50.819</b> Crohn's disease unspecified cor	of both small and large intestine with of both small and large intestine with action of both small and large intestine with of both small and large intestine with of both small and large intestine with tion of both small and large intestine with nplications identify manifestations, such as: psyo-
079.99	Unspecified viral infection	B34.9 Viral infection, unspecified
314.01	Attention deficit disorder	r with hyperactivity
ICD-10-CM Codes	<ul> <li>F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type</li> <li>F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type</li> <li>F90.2 Attention-deficit hyperactivity disorder, combined type</li> <li>F90.8 Attention-deficit hyperactivity disorder, other type</li> <li>F90.9 Attention-deficit hyperactivity disorder, unspecified type</li> <li>*Note: codes within this category may be used regardless of the age of a patient. These disorders generally have onset within the childhood or adolescent years, but may continue throughout life or not be diagnosed until adulthood.</li> </ul>	
V65.49	Other specified counseling	Z71.89 Other specified counseling

ICD-9-CM C	Iode	ICD-10-CM Code(s)
V70.0	Routine general medical examination at a health care facility	
ICD-10-CM Codes	<ul> <li>Z00.00 Encounter for general adult medical examination without abnormal findings</li> <li>Z00.01 Encounter for general adult medical examination with abnormal findings</li> <li>** Use additional code to identify abnormal findings</li> </ul>	
789.07	Abdominal pain, generalized	R10.84 Generalized abdominal pain
427.89	Other specified cardiac dysrhythmias	<b>149.8</b> Other specified cardiac arrhythmias
486	Pneumonia, organism un	specified
ICD-10-CM Codes	<b>J18.9</b> Pneumonia, unspec ** Code first associated infl	:ified organism uenza, if applicable ( <b>J09.X1, J10.0-,-J11.0-</b> )
780.60	Fever, unspecified	
ICD-10-CM Codes	<ul> <li>R50.9 Fever, unspecified</li> <li>** There are more specific code choice selections available in ICD-10-CM. These include:</li> <li>R50.2 Drug induced fever</li> <li>R50.81 Fever presenting with conditions classified elsewhere</li> <li>R50.82 Postprocedural fever</li> <li>R50.83 Postvaccination fever</li> <li>R50.84 Febrile nonhemolytic transfusion reaction</li> </ul>	
786.50	Chest pain, unspecified	
ICD-10-CM Codes	<ul> <li>R07.9 Chest pain, unspecified</li> <li>** There are more specific code choice selections available in ICD-10-CM. These include:</li> <li>R07.1 Chest pain on breathing</li> <li>R07.81 Pleurodynia</li> <li>R07.89 Other chest pain</li> </ul>	
714.30	Polyarticular juvenile rheumatoid arthritis, chronic or unspecified	
ICD-10-CM Codes	M08.3 Juvenile rheumatoid polyarthritis (seronegative) M08.00 Unspecified juvenile rheumatoid arthritis of unspecified site ** Code also any associated underlying condition, such as: Regional enteritis (Crohn's disease) (K50-) Ulcerative colitis (K51-)	
427.9	Cardiac dysrhythmia, unspecified	
ICD-10-CM Codes	Obstetric surgery and	ythmia complicating: molar pregnancy ( <b>O00-O07, O08.8</b> ) procedures ( <b>O75.4</b> ) c code choice selections available in e: r arrhythmia chycardia rdia ardia, unspecified

ICD-9-CM C	ode	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	Abortion or ectopic o Obstetric surgery and 148.0 Paroxysmal atrial fi 148.1 Persistent atrial fibril 148.2 Chronic atrial fibril 149.01 Ventricular fibrilla 149.02 Ventricular fibrilla 149.02 Ventricular flutter 149.1 Atrial premature de 149.2 Junctional premat 149.3 Ventricular premat 149.40 Unspecified prem 149.49 Other premature 149.5 Sick sinus syndrom 149.8 Other specified cat ** For 149.0-149.9 Code	brillation illation ation fibrillation tion epolarization ure depolarization ure depolarization hature depolarization depolarization depolarization re rdiac arrhythmias first cardiac arrhythmia complicating: r molar pregnancy ( <b>O00-007, O08.8</b> )
692.9	Contact dermatitis and c	ther eczema, unspecified cause
ICD-10-CM Codes	<ul> <li>** Code first (T36-T65) t</li> <li>L30.9 Dermatitis, unsperimentatis, unsperimentatis, unsperimentatis, unsperimentatis, unsperimentation, unspecified contation, unspecified</li></ul>	ct dermatitis, unspecified nature o identify drug or substance cified ic unspecified codes in ICD-10-CM. ct dermatitis due to cosmetics ct dermatitis due to drugs in contact ict dermatitis due to dyes ict dermatitis due to other chemical ct dermatitis due to food in contact ict dermatitis due to plants, except food ct dermatitis due to other agents or adverse effect, if applicable, to vith fifth or sixth character 5)
388.70	Otalgia, unspecified	
ICD-10-CM Codes	H92.09 Otalgia, unspeci ** There are more specif ICD-10-CM that should b H92.01 Otalgia, right ear H92.02 Otalgia, left ear H92.03 Otalgia, bilateral	ic code choice selections available in e used. These include:
V04.81	Need for prophylactic vaccination and inoculation, Influenza	
ICD-10-CM Codes		childhood examination es are required to identify the types of ICD-10-CM there is only one diagnostic
783.43	Short stature	
ICD-10-CM Codes	<b>E34.3</b> Short stature due <b>R62.52</b> Short stature (ch	

Copyright © 2013 AAPC all rights reserved — 2480 S. 3850 W. Suite B. Salt Lake City, Utah, 84120 — 800-626-CODE (2633) — www.aapc.com/icd-10/

ICD-9-CM C	ode	ICD-10-CM Code(s)
204.01	Acute lymphoid leukemia in remission	<b>C91.01</b> Acute lymphoblastic leukemia, in remission
277.02	Cystic fibrosis with mecc	onium ileus
ICD-10-CM Codes	· · ·	n pulmonary manifestations i identifiy any infectious organism monas ( <b>B96.5</b> )
461.9	Acute sinusitis, unspecified	
ICD-10-CM Codes	Jol.90 Acute sinusitis, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: Jol.00 Acute maxillary sinusitis, unspecified Jol.11 Acute recurrent maxillary sinusitis Jol.10 Acute frontal sinusitis, unspecified Jol.11 Acute recurrent frontal sinusitis Jol.20 Acute ethmoidal sinusitis, unspecified Jol.21 Acute recurrent ethmoidal sinusitis Jol.30 Acute sphenoidal sinusitis Jol.31 Acute recurrent sphenoidal sinusitis Jol.40 Acute pansinusitis, unspecified Jol.41 Acute recurrent pansinusitis Jol.80 Other acute sinusitis Jol.81 Other acute recurrent sinusitis, unspecified Jol.91 Acute recurrent sinusitis, unspecified	
780.2	Syncope and collapse	<b>R55</b> Syncope and collapse

ICD-9-CM C	iode ICD-10-CM Code(s)	
795.5	Nonspecific reaction to tuberculin skin test without active tuberculosis	
ICD-10-CM Codes	<ul> <li>R76.1 Abnormal reaction to tuberculin test</li> <li>R76.11 Nonspecific reaction to tuberculin skin test without active tuberculosis</li> <li>R76.12 Nonspecific reaction to cell mediated immunity measurement of gamma interferon antigen response without active tuberculosis</li> </ul>	
787.91	Diarrhea	
ICD-10-CM Codes	R19.7 Diarrhea, unspecified K59.1 Functional diarrhea **There are many combination codes in ICD-10-CM that include diarrhea as a manifiestation	
493.92	Asthma, unspecified with (acute) exacerbation	
ICD-10-CM Codes	J45.901 Unspecified asthma with (acute) exacerbation ** There are more specific code choice selections available in ICD-10-CM. These include: J45.21 Mild intermittent asthma with (acute) exacerbation J45.31 Mild persistent asthma with (acute) exacerbation J45.41 Moderate persistent asthma with (acute) excerbatoin J45.51 Severe persistent asthma with (acute) exacerbation	
Multiple	Vaccinations and Inocculations	
ICD-10-CM Codes	<b>Z23</b> Encounter for immunization ** Code first any routine childhood examination ** <b>Note:</b> Procedure codes are required to identify the types of immunizations given. In ICD-10-CM there is only one diagnostic code available for immunizations	

Fast Forward to ICD-10



